

SINCE 1987
RELECO®

Modern Concept

LED Lighting Catalogue



INDOOR | OUTDOOR | INDUSTRIAL | COMMERCIAL

1987

Started our mission with starter manufacturing with FTL tube

1990

Became OEM for major companies eg. Mysore lamps Ltd, sylvania & Laxman Ltd, ECE Industries etc.

1993-2003

Served many Government institutions through DGS & D (Directorate General of Supplies and Disposals) under rate contract with permanent registrations. Such as Northern Railways, Western Railways, Hindon Airforce, Hindustan Aeronautics Limited, Bikaner Airforce etc





2005

Launched in house production unit for ISI marked-Wires and Cables.

2007

Addition of HPSV, MV & MH chokes in products.

CERTIFICATIONS



Growing everyday with Relco Group already serving more than 50000 projects successfully and with hundreds of active clients globally

Extended product range with Regulators, Cooler pumps, Immersion rods, Condensers

2010

2012

Established a whole new unit for LED manufacturing

Acquired our ISO certification as a company

2015

2020

Extended our product range with ceiling fans & Appliances manufacturing

2024

SINCE 1987
RELCO®

COMPANY PROFILE

RELCO is a well known ISO:9001:2008 certified company. Based at Delhi, India; we commenced our organization in the year 1987 with a mission to strictly follow client centric approaches throughout our business activities. In 1987 Relco Industries was launched to manufacture Tubelight and starters of world class standards. The Relco industries denotes "Best quality at reasonable price".

At Relco industries, we are aware that our customers face immense competition. Our operation effectiveness affects our customer's business performance directly. We believe that the competitive edge can be obtained by providing goods of exceptional quality and timely delivery. To achieve consistent quality, each and every product of our range is tested to ensure that product meets world class quality standards every time.

Our successful businesses establishment rests on certain parameters such as customization of products and stringent quality checks that helps us to acquire a long list of clientele in the Indian & Global market.





ARCHITECTURE LIGHTS

COMET COB

SINCE 1987
RELECO®



POWER	SHAPE	SYSTEM LUMEN	CRI	CUTOUT x HEIGHT	COLOUR	PKG. PCS.
7W	Round	840	90	53 x 70 mm	W/WW/NW	40
12W	Round	1440	90	68 x 80 mm	W/WW/NW	30
18W	Round	2160	90	75 x 90 mm	W/WW/NW	30
24W	Round	2880	90	75 x 100 mm	W/WW/NW	20

**Body Colours : White / Black*

RAFALE COB




POWER	SHAPE	SYSTEM LUMEN	CRI	CUTOUT x HEIGHT	COLOUR	PKG. PCS.
7W	Round	840	90	55 x 60 mm	W/WW/NW	40
12W	Round	1440	90	65 x 70 mm	W/WW/NW	30
18W	Round	2160	90	72 x 85 mm	W/WW/NW	30
24W	Round	2880	90	72 x 95 mm	W/WW/NW	20

**Reflector Colours : Rose gold / Gunmetal black*

**Body Colours : Black / White*

PRISM COB

SINCE 1987
RELECO®



POWER	SHAPE	SYSTEM LUMEN	CRI	CUTOUT	COLOUR	PKG. PCS.
7W	Round	910	80	-----	W/WW/NW	40
12W	Round	1560	80	-----	W/WW/NW	30
18W	Round	2340	80	-----	W/WW/NW	30

TWIN COB LIGHT



POWER	SHAPE	SYSTEM LUMEN	CRI	CUT OUT *HEIGHT	COLOUR	PKG. PCS.
7W*2	Square	1820	80	55 X 115 X 52 MM	W/WW/NW	40
12W*2	Square	3120	80	75 X 160 X 63 MM	W/WW/NW	30

LOW DEEP COB



POWER	SHAPE	SYSTEM LUMEN	CRI	CUTOUT * HEIGHT	COLOUR	PKG. PCS.
12W	Round	1560	80	75 MM X 40 MM	W/WW/NW	40



Impact & Scratch
Protection*



Long Life
Technology



Special Coating
Resists Oil*



Eco Friendly



Anti Shatter*



Energy Saving


GLINT COB

SINCE 1987
RELECO®



COLOR TEMPERATURE
3000K 6500K

Personalise your Lighting



POWER	SHAPE	SYSTEM LUMEN	CRI	CUTOUT	COLOUR	PKG. PCS.
7W	Round	910	80	55 MM	W/WW/NW	40
12W	Round	1560	80	75 MM	W/WW/NW	30
18W	Round	2340	80	95 MM	W/WW/NW	30

MAGIC COB



POWER	SHAPE	SYSTEM LUMEN	CRI	CUT SIZE	COLOUR	PKG. PCS.
12W	Round	1560	80	75 MM	W/WW/NW	40
18W	Round	2340	80	85 MM	W/WW/NW	30

REO COB



POWER	SHAPE	SYSTEM LUMEN	CRI	CUT SIZE	COLOUR	PKG. PCS.
12W	Round	1560	80	74 MM	W/WW/NW	40
18W	Round	2340	80	88 MM	W/WW/NW	30



Impact & Scratch
Protection*



Long Life
Technology



Special Coating
Resists Oil*



Eco Friendly




Anti Shatter*



Energy Saving

MOVEABLE COB

SINCE 1987
RELECO®



POWER	SHAPE	SYSTEM LUMEN	CRI	CUTOUT x HEIGHT	COLOUR	PKG. PCS.
3W	Round	300	90	50 x 40 mm	W/WW/NW	40
6W	Round	600	90	50 x 40 mm	W/WW/NW	40
12W	Round	1200	90	70 x 55 mm	W/WW/NW	40
20W	Round	2000	90	90 x 65 mm	W/WW/NW	30
30W	Round	3000	90	110 x 70 mm	W/WW/NW	20
50W	Round	5000	90	150 x 115 mm	W/WW/NW	10

BRIGHT DOWNLIGHTER



POWER	SHAPE	SYSTEM LUMEN	CRI	DIMENSION	COLOUR	PKG. PCS.
12W	Round	1200	90	100 x 55 mm	W/WW/NW	40
20W	Round	2000	90	140 x 60 mm	W/WW/NW	30



Impact & Scratch
Protection*



Long Life
Technology



Special Coating
Resists Oil*



Eco Friendly



Anti Shatter*



Energy Saving

DELTA COB

SINCE 1987
RELECO®



POWER	SHAPE	SYSTEM LUMEN	CRI	CUTOUT X HEIGHT	COLOUR	PKG. PCS.
7W	Round	840	90	65 x 50 MM	W/WW/NW	40
12W	Round	1440	90	80 x 65 MM	W/WW/NW	30
18W	Round	2160	90	90 x 75 MM	W/WW/NW	30

*Reflector Colours : Rose gold / Gunmetal black

*Body Colours : Black / White

LAZER DOWNLIGHT



POWER	SHAPE	SYSTEM LUMEN	CRI	CUTOUT X HEIGHT	COLOUR	PKG. PCS.
2W	Rectangle	240	90	35 x 30 mm	W/WW/NW	40
4W	Rectangle	480	90	70 x 30 mm	W/WW/NW	40
6W	Rectangle	720	90	100 x 30 mm	W/WW/NW	40
10W	Rectangle	1200	90	140 x 30 mm	W/WW/NW	40
20W	Rectangle	2400	90	270 x 30 mm	W/WW/NW	40
8W	Square	960	90	46 x 40 mm	W/WW/NW	40
18W	Square	2160	90	65 x 40 mm	W/WW/NW	40

*Reflector Colours : Rose gold / Gunmetal black

*Body Colours : Black / White

GALAXY SURFACE COB

SINCE 1987
RELECO®



POWER	SYSTEM LUMEN	CRI	DIMENSION	COLOUR	PKG. PCS.
3W	360	80	50 x 35 mm	W/WW/NW	100
7W	840	80	70 x 50 mm	W/WW/NW	40
12W	1440	80	90 x 70 mm	W/WW/NW	30
20W	2400	80	110 x 90 mm	W/WW/NW	30
30W	3600	80		W/WW/NW	20

*Reflectors Colours : Rose gold / Gunmetal black

*Body Colour : Black / White

GALAXY PLUS SURFACE COB



POWER	SYSTEM LUMEN	CRI	DIMENSION	COLOUR	PKG. PCS.
7W	840	90	70 x 50 mm	W/WW/NW	40
12W	1440	90	90 x 70 mm	W/WW/NW	30
20W	2400	90	110 x 90 mm	W/WW/NW	30

*Reflectors Colours : Rose gold / Gunmetal black


*Body Colour : Black / White



SPOT LIGHT




POLO



ROSE GOLD



GINNI



BULLET

POWER	BODY COLOUR	SYSTEM LUMEN	CRI	CUTOUT	COLOUR	PKG. PCS.
3W POLO	WHITE/BLACK/ROSEGOLD	360	90	28 MM	W/WW/NW	100
3W ROSE GOLD	WHITE/BLACK	360	90	25 MM	W/WW/NW	100
3W GINNI	WHITE/BLACK	360	90	25 MM	W/WW/NW	100
3W BULLET	WHITE	360	90	32 MM	W/WW/NW	100



Impact & Scratch
Protection*



Long Life
Technology



Special Coating
Resists Oil*



Eco Friendly



Anti Shatter*



Energy Saving



POP OUT LIGHT



POWER	SHAPE	SYSTEM LUMEN	CRI	DIMENSION	COLOUR	PKG. PCS.
6W	Round	720	90	52 x 60 mm	W/WW/NW	40
12W	Round	1440	90	80 x 75 mm	W/WW/NW	20
18W	Round	2160	90	100 x 90 mm	W/WW/NW	20

Body Colour : White / Black

ZOOM PLUS TRACK LIGHT

SINCE 1987
RELECO®



POWER	SYSTEM LUMEN	CRI	DIAMETER x LENGTH	COLOUR	PKG. PCS.
30W	3600	80	100 x 165 mm	W/WW/NW	12
50W	6000	80	115 x 200 mm	W/WW/NW	12

Mounting Base : Wall Mount / Track Base

ZOOM TRACK LIGHT



POWER	SYSTEM LUMEN	CRI	DIAMETER x LENGTH	COLOUR	PKG. PCS.
10W	1200	80	50 x 130 mm	W/WW/NW	30
20W	2400	80	60 x 150 mm	W/WW/NW	20
30W	3600	80	75 x 180 mm	W/WW/NW	20
50W	6000	80	80 x 190 mm	W/WW/NW	12



Impact & Scratch
Protection*



Long Life
Technology



Special Coating
Resists Oil*



Eco Friendly



Anti Shatter*



Energy Saving

MINI DEEP DOWNLIGHTER

SINCE 1987
RELECO®



POWER	SHAPE	SYSTEM LUMEN	CRI	CUTOUT * HEIGHT	COLOUR	PKG. PCS.
6W	Round	600	80	60 X 65 MM	W/WW/NW	40
12W	Round	1200	80	75 X 65 MM	W/WW/NW	30
18W	Round	1800	80	85 X 65 MM	W/WW/NW	30

PINHOLE POLO COB LIGHT



POWER	SHAPE	SYSTEM LUMEN	CRI	CUT OUT	BEAM ANGLE	COLOUR	PKG. PCS.
7W	Round	910	80	35 MM	28°	W/WW/NW	50
12W	Round	1560	80	55 MM	28°	W/WW/NW	40
18W	Round	2340	80	75 MM	28°	W/WW/NW	30

TUBE LIGHT

POWER	SYSTEM LUMEN	CRI	LENGTH	COLOUR	PKG. PCS.
24W	2400	80	1 FEET	W/WW/NW	50
40W	4000	80	4 FEET	W/WW/NW	25
60W	6000	80	4 FEET	W/WW/NW	20



Impact & Scratch
Protection*



Long Life
Technology



Special Coating
Resists Oil*



Eco Friendly




Anti Shatter*



Energy Saving



FULL K



HALF K



CURVE UP-DOWN LIGHT




QUBE



SPIKE



FOOT LIGHT



1+2 LIGHT

NAME	POWER	CRI	DIMENSION	COLOUR	PKG. PCS.
FULL K	6W	90	145 x 80 x 65 mm	W/WW/NW	50
HALF K	3W	90	78 x 80 x 65 mm	W/WW/NW	80
1+1WAY	6W	90	80 x 85 x 35 mm	W/WW/NW	80
2+2WAY	12W	90	80 x 125 x 35 mm	W/WW/NW	80
3+3WAY	18W	90	80 x 165 x 35 mm	W/WW/NW	50
1WAY CUBE	3W	90	40 x 45 x 55 mm	W/WW/NW	100
2WAY CUBE	6W	90	75 x 70 x 45 mm	W/WW/NW	100
4WAY CUBE	12W	90	75 x 75 x 45 mm	W/WW/NW	100
GARDEN LIGHT	5W	90	240 x 50 x 95 mm	W/WW/NW	50
GARDEN LIGHT	12W	90	240 x 65 x 130 mm	W/WW/NW	50
FOOT LIGHT	5W	90	85 x 85 x 40 mm	W/WW/NW	80
1+2 LIGHT	9W	90	140 x 90 x 50 mm	W/WW/NW	50



Impact & Scratch
Protection*



Long Life
Technology



Special Coating
Resists Oil*



Eco Friendly



Anti Shatter*



Energy Saving

LED MAGNETIC SERIES

SINCE 1987
RELECO®



LED RECESSED MAGNETIC SERIES

SINCE 1987
RELECO®



MAGNETIC PROFILE LIGHT

Wattage	Size	
6W	L200xW22xH25mm	CCT- 3000K/4000K
12W	L340xW22xH25mm	CRI>90
24W	L678xW22xH25mm	BEAM ANGLE-105



MAGNETIC CORNER LIGHT

Wattage	Size	
24W	L365xW320xH22mm	CCT- 3000K/4000K
		CRI>90
		BEAM ANGLE-105



MAGNETIC BEAM LIGHT

Wattage	Size	
8W	L110xW22xH42mm	CCT- 3000K/4000K
16W	L218xW22xH42mm	CRI>90
		BEAM ANGLE-30



MAGNETIC JADE LIGHT

Wattage	Size	
5W	L130xW22xH42mm	CCT- 3000K/4000K
10W	L246xW22xH42mm	CRI>90
		BEAM ANGLE-30



MAGNETIC SPOT LIGHT

Wattage	Size	
6W	L118xW22xH84mm	CCT- 3000K/4000K
12W	L226xW22xH84mm	CRI>90
		BEAM ANGLE-36



MAGNETIC LAZER LIGHT

Wattage	Size	
6W	L110xW22xH25mm	CCT- 3000K/4000K
12W	L172xW22xH25mm	CRI>90
		BEAM ANGLE-30



MAGNETIC TRACK LIGHT

Wattage	Size	
7W	Ø36xL90xH125mm	CCT- 3000K/4000K
12W	Ø48xL150xH185mm	CRI>90
		BEAM ANGLE-24



Bendable Connector 4 pin
25cm Wire



Short Connector 4 pin
15cm Wire



Magnetic Track 3M



Magnetic Track 2M



Magnetic Track 1M



48V 200 Driver



Corner Joiner



48V 100 Driver

LED ULTRASLIM SURFACE MAGNETIC

SINCE 1987
RELECO®



MAGNETIC PROFILE LIGHT

Wattage
12W

Size

CCT- 3000K/4000K
CRI>90
BEAM ANGLE-105



MAGNETIC LAZER LIGHT

Wattage
10W

Size

CCT- 3000K/4000K
CRI>90
BEAM ANGLE-105



MAGNETIC CYLINDER LIGHT

Wattage
7W

Size

CCT- 3000K/4000K
CRI>90
BEAM ANGLE-30



MAGNETIC JADE LIGHT

Wattage
7W

Size

CCT- 3000K/4000K
CRI>90
BEAM ANGLE-30



MAGNETIC SPOT LIGHT

Wattage
10W
20W

Size

CCT- 3000K/4000K
CRI>90
BEAM ANGLE-36



MAGNETIC HANGING ROPE LIGHT

Wattage
5W
10W
15W

Size

CCT- 3000K/4000K
CRI>90
BEAM ANGLE-30




MAGNETIC TRACK LIGHT


Wattage
7W

Size
Ø36xL90xH125mm

CCT- 3000K/4000K
CRI>90
BEAM ANGLE-24



Straight Connector



L Connector



Cross Connector



Corner Joiner



48V 100W Driver



48V 200W Driver




Magnetic Track 1M



Magnetic Track 2M



BULK HEAD



POWER	SYSTEM LUMEN	CRI	DIMENSION	COLOUR	PKG. PCS.
10W	1000	90	170 X 70 X 46 MM	W/WW/NW	100
20W	2000	90	210 X 100 X 55 MM	W/WW/NW	50



Impact & Scratch
Protection*



Long Life
Technology



Special Coating
Resists Oil*



Eco Friendly



Anti Shatter*




Energy Saving



INDOOR LIGHTS


ALUMINIUM PANEL LIGHT

SINCE 1987
RELECO®



POWER	SHAPE	SYSTEM LUMEN	CRI	CUT SIZE	COLOUR	PKG. PCS.
3W	Round / Square	300	80	75 mm	W/WW/NW	50
6W	Round / Square	600	80	98 mm	W/WW/NW	40
9W	Round / Square	900	80	125 mm	W/WW/NW	30
12W	Round / Square	1200	80	150 mm	W/WW/NW	30
18W	Round / Square	1800	80	200 mm	W/WW/NW	30
24W	Round / Square	2400	80	300 mm	W/WW/NW	10

ALUMINIUM SURFACE LIGHT



POWER	SHAPE	SYSTEM LUMEN	CRI	DIMENSION	COLOUR	PKG. PCS.
6W	Round / Square	600	80	100 x 100 mm	W/WW/NW	40
12W	Round / Square	1200	80	150 x 150 mm	W/WW/NW	30
18W	Round / Square	1800	80	200 x 200 mm	W/WW/NW	30
24W	Round / Square	2400	80	300 x 300 mm	W/WW/NW	10



Impact & Scratch
Protection*



Long Life
Technology



Special Coating
Resists Oil*



Eco Friendly



Anti Shatter*



Energy Saving

ELITE SURFACE LIGHT

SINCE 1987
RELECO®



POWER	SHAPE	SYSTEM LUMEN	CRI	DIMENSION	COLOUR	PKG. PCS.
6W	Round / Square	600	80	100 x 100 mm	W/WW/NW	40
12W	Round / Square	1200	80	150 x 150 mm	W/WW/NW	30
18W	Round / Square	1800	80	200 x 200 mm	W/WW/NW	30

STAR PANEL



POWER	SHAPE	SYSTEM LUMEN	CRI	CUT SIZE	COLOUR	PKG. PCS.
8W	Round / Square	800	80	98 mm	W/WW/NW/3 in1	40
12W	Round / Square	1200	80	123 mm	W/WW/NW	30
15W	Round / Square	1500	80	150 mm	W/WW/NW/3 in1	30
22W	Round / Square	2200	80	200 mm	W/WW/NW	30



Impact & Scratch
Protection*



Long Life
Technology



Special Coating
Resists Oil*



Eco Friendly




Anti Shatter*



Energy Saving

STAR SURFACE LIGHT

SINCE 1987
RELECO®




POWER	SHAPE	SYSTEM LUMEN	CRI	DIMENSION	COLOUR	PKG. PCS.
8W	Round / Square	800	80	98 mm	W/WW/NW/3 IN 1	40
15W	Round / Square	1500	80	150 mm	W/WW/NW/3 IN 1	30
22W	Round / Square	2200	80	200 mm	W/WW/NW	30

A STAR PANEL



POWER	SHAPE	SYSTEM LUMEN	CRI	CUT SIZE	COLOUR	PKG. PCS.
15W	Round / Square	1500	80	60 mm - 100 mm	W/WW/NW/3IN1	40
22W	Round / Square	2200	80	60 mm - 150 mm	W/WW/NW/3IN1	30


RAINBOW PANEL



POWER	SHAPE	CUT SIZE	COLOUR	PKG. PCS.
3+6W	Round	95 mm	White + Rainbow, White + Blue, White + Pink	40

MOON LIGHT SURFACE

SINCE 1987
RELECO®



POWER	SHAPE	SYSTEM LUMEN	CRI	DIMENSION	COLOUR	PKG. PCS.
8W	Round / Square	800	80	90 x 90 x 32 mm	W/WW/NW	40
15W	Round / Square	1500	80	140 x 140 x 32 mm	W/WW/NW	30

ZEN PANEL



POWER	SHAPE	SYSTEM LUMEN	CRI	DIMENSION	COLOUR	PKG. PCS.
10w	Round / Square	1000	80	100 x 100 mm	W/WW/NW	40
16w	Round / Square	1600	80	150 x 150 mm	W/WW/NW	30



Impact & Scratch
Protection*



Long Life
Technology



Special Coating
Resists Oil*



Eco Friendly




Anti Shatter*



Energy Saving


PROFILE PANEL

SINCE 1987
RELECO®



POWER	SHAPE	SYSTEM LUMEN	CRI	DIMENSION	COLOUR	PKG. PCS.
15W	Square / Round	1500	90	150 x 150 mm	W/WW/NW/3 IN 1	30

2x2 PANEL LIGHTS



POWER	MOUNTING TYPE	SYSTEM LUMEN	CRI	DIMENSION	COLOUR	PKG. PCS.
36W	Recessed	3600	90	595 x 595 mm	W/WW/NW	06
48W	Recessed	4800	90	595 x 595 mm	W/WW/NW	06
36W	Surface	3600	90	595 x 595 mm	W/WW/NW	06
48W	Surface	4800	90	595 x 595 mm	W/WW/NW	06



Impact & Scratch
Protection*



Long Life
Technology



Special Coating
Resists Oil*



Eco Friendly



Anti Shatter*



Energy Saving

CONCEALED COB LIGHT

SINCE 1987
RELECO®



BLAZE



JAGUAR



STREAK

MODEL	POWER	SHAPE	SYSTEM LUMEN	CRI	CUTOUT x HEIGHT	COLOUR	PKG. PCS.
JAGUAR	4W	Round	400	80	50 x 40 mm	W/WW/NW/R/B/G/P	100
JAGUAR	7W	Round	700	80	75 x 40 mm	W/WW/NW/R/B/G/P/3 IN 1	50
JAGUAR	15W	Round	1500	80	100 x 55 mm	W/WW/NW/R/B/G/P	25
BLAZE	7W	Round	700	80	75 x 40 mm	W/WW/NW/R/B/G/P	50
STREAK	7W	Round	700	80	75 x 40 mm	W/WW/NW/R/B/G/P	50



Impact & Scratch Protection*



Long Life Technology



Special Coating Resists Oil*



Eco Friendly



Anti Shatter*



Energy Saving

DEEP LIGHT

SINCE 1987
RELECO®



POWER	SHAPE	SYSTEM LUMEN	CRI	CUT SIZE	COLOUR	PKG. PCS.
3W	Round	300	80	40 mm	W/WW/NW/R/B/G/P	100

DOWNLIGHT



STELLAR



KINDLE



HALO

POWER	SHAPE	SYSTEM LUMEN	CRI	DIMENSION	COLOUR	PKG. PCS.
7W	Round	700	80	75mm	W/WW/NW/R/B/G/P/3 IN 1	50
7W	Round	700	80	75mm	W/WW/NW/R/B/G/P/3 IN 1	50
7W	Round	700	80	75mm	W/WW/NW/R/B/G/P/3 IN 1	50



Impact & Scratch
Protection*



Long Life
Technology



Special Coating
Resists Oil*



Eco Friendly



Anti Shatter*



Energy Saving



COMMERCIAL / INDUSTRIAL LIGHTS

LED FLOOD LIGHT LENS MODEL

SINCE 1987
RELECO®



POWER	SYSTEM LUMEN	CRI	LxBxH	COLOUR	PKG. PCS.
50W (72LED)	6000	90	215 x 200 x 55 mm	W/WW/NW	12
100W (120LED)	12000	90	285 x 275 x 60 mm	W/WW/NW	14
200W (240W)	24000	90	340 x 335 x 65 mm	W/WW/NW	05

HIBAY FITTINGS LIGHT



I-BOLT HANGING CLAMP

HANDLE

POWER	SYSTEM LUMEN	CRI	DIAMETER x HEIGHT	COLOUR	PKG. PCS.
50W	6000	90	244 x 135 mm	W/WW/NW	08
100W	12000	90	276 x 130 mm	W/WW/NW	08
150W	18000	90	318 x 229 mm	W/WW/NW	06
200W	24000	90	360 x 140 mm	W/WW/NW	06



Impact & Scratch
Protection*



Long Life
Technology



Special Coating
Resists Oil*



Eco Friendly




Anti Shatter*



Energy Saving

FLOOD LIGHT

SINCE 1987
RELECO®



POWER	SYSTEM LUMEN	CRI	LxBxH	COLOUR	PKG. PCS.
30W	3600	80	180 x 180 x 50 mm	W/WW/NW	10
50W	6000	80	210 x 210 x 60 mm	W/WW/NW	10
100W	12000	80	270 x 280 x 55 mm	W/WW/NW	10
150W	18000	80	330 x 300 x 60 mm	W/WW/NW	10
200W	24000	80	370 x 340 x 70 mm	W/WW/NW	05

FLOOD LIGHT (BACK CHOKE)



POWER	SYSTEM LUMEN	CRI	LxBxH	COLOUR	PKG. PCS.
300W	36000	80	359 X 260 X 80 MM	W/WW/NW	04
400W	48000	80	440 X 340 X 80 MM	W/WW/NW	04
500W	60000	80	440 X 340 X 80 MM	W/WW/NW	04
600W	72000	80	580 X 430 X 70 MM	W/WW/NW	04



Impact & Scratch
Protection*



Long Life
Technology



Special Coating
Resists Oil*



Eco Friendly



Anti Shatter*



Energy Saving

LED STREET LIGHT LENS MODEL

SINCE 1987
RELECO®



POWER	SYSTEM LUMEN	CRI	LXBXH	COLOUR	PKG. PCS.
24W	2880	80	290x100x55	W/WW/NW	10
36W	4320	80	340x125x55	W/WW/NW	10
50W	6000	80	390x142x55	W/WW/NW	10
72W	8640	80	390x142x55	W/WW/NW	10
100W	12000	80	445x165x55	W/WW/NW	10

UNDER WATER LIGHT IP68



POWER	SYSTEM LUMEN	CRI	CUT SIZE	COLOUR	PKG. PCS.
3W	390	90	60 MM	W/WW/NW/RGB	06
6W	780	90	60 MM	W/WW/NW/RGB	06
9W	1170	90	60 MM	W/WW/NW/RGB	06
12W	1440	90	60 MM	W/WW/NW/RGB	06
18W	2340	90	60 MM	W/WW/NW/RGB	06



Impact & Scratch
Protection*



Long Life
Technology



Special Coating
Resists Oil*



Eco Friendly




Anti Shatter*



Energy Saving


LED STRIP LIGHT

SINCE 1987
RELECO®




LED	METER	COLOUR	PKG. PCS.
120 LEDS	5 MTR.	W/WW/NW/R/G/B/ICE BLUE	100
240 LEDS	5 MTR.	W/WW/NW/R/G/B/ICE BLUE	100

ROPE LIGHT



LED	METER	COLOUR	PKG. PCS.
120 LEDS	50 MTR. / 18 MTR.	W/WW/NW/R/G/B/ICE BLUE	06
120 LEDS	15 MTR. / 18 MTR.	TIRANGA	06

STRIP SMPS




RATED WATTAGE(W)	PKG.
5 AMP DRIVER	100
10 AMP DRIVER	100
16 AMP DRIVER	50
25 AMP DRIVER	25
33 AMP DRIVER	25

LED PROFILE LIGHT




SINCE 1987
RELECO®



SIZE	LENGTH	PKG.
17 x 8 mm Recessed	2 mtr	200 mtr
17 x 8 mm Surface	2 mtr	200 mtr
17 x 14 mm Recessed	2 mtr	200 mtr
17 x 14 mm Surface	2 mtr	200 mtr
35 x 35 mm Recessed	2 mtr	100 mtr
35 x 35 mm Surface	2 mtr	100 mtr
16 x 16 mm Corner	2 mtr	200 mtr
25 x 12 mm Recessed	2 mtr	200 mtr
25 x 12 mm surface	2 mtr	200 mtr

STAGE LIGHT



POWER	SYSTEM LUMEN	CRI	DIAMETER X LENGTH	COLOUR	PKG. PCS.
30W	3900	90	100x165	W/WW/NW	12
50W	6500	90	115x200	W/WW/NW	12



Impact & Scratch
Protection*



Long Life
Technology



Special Coating
Resists Oil*



Eco Friendly



Anti Shatter*



Energy Saving

OUR ESTEEMED CLIENTS

SINCE 1987
RELECO®



HINDON AIRFORCE



INDIAN PARLIAMENT



NTPC



DELHI POLICE



VIDYUT PURVANCHAL



NORTH EAST RAILWAY



NORTHERN RAILWAY



SAFDARJUNG HOSPITAL



PWD



CPWD



NEW LIFE HOSPITAL



RML HOSPITAL



MAHINDRA



TOYOTA



MARUTI

MARUTI

Quality means doing it right every time...

NOTES

SINCE 1987
RELECO®

OUR INTERNATIONAL PRESENCE : SYRIA, NEPAL, SAUDI ARABIA, QATAR



SINCE 1987
RELECO®

E-mail: rkrelcoind@yahoo.co.in
Website: www.relcocables.com

FIND US :

